

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

GHS Product Identifier	Hamster IgG-AF488
Other means of identification	N/A
Product type	Liquid
Product code	0121-30
Chemical formula	Not applicable
CAS No	Not applicable
SDS No.	2233368
Relevant Identified uses of the substance or mixture and uses advised against	Not applicable
Supplier's details	Southern Biotechnology Associates, Inc. 160 Oxmoor Boulevard Birmingham, Alabama 35209 USA Tel: (205) 945-1774 Fax: (205) 945-8768 Website: www.southernbiotech.com
Distributor and Emergency Phone No.	Refer to website for distributor and emergency phone numbers. Tel: (205) 945-1774

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS-US classification

Not classified

Label elements

GHS-US labeling

Hazard pictograms (GHS-US) None required

Signal word (GHS-US)	None required
Hazard statements (GHS-US)	None required
Precautionary statements (GHS-US)	None required
Other hazards	Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or plumbing copper. Sodium azide is rapidly absorbed through skin.
Note	According to OSHA Hazard Communications Standard (CFR 1910.1200), if a mixture contains less than 1% hazardous chemical or less than 0.1% of a carcinogen, the mixture is not considered hazardous. However, precautions for handling potentially dangerous chemicals should be used when handling these products.

Unknown acute toxicity (GHS US) No data available

Full text of H-phrases: see section 16

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

None known

Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

No specific data

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

General measures: This product contains a material of biological origin. Use universal precautions during clean up procedures. Avoid breathing (vapor, mist). Use only in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment, see section 8.

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk-through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g., sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Reference to other sections

See Section 1 for emergency contact information, Section 13 for waste disposal, and Section 8 for exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Precautions for safe handling: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Hygiene measures: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Rev. 15-Dec-21

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Technical measures: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Avoid strong oxidizers. Recommended storage temperature: 2 - 8°C

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Sodium Azide (26628-22-8)		
USA NIOSH	NIOSH IDLH	Ceiling: 0.3 mg/m ³ NaN ₃ Ceiling: 0.1 ppm HN ₃
USA OSHA	OSHA PEL (TWA)	Absorbed through skin (Vacated) Ceiling: 0.3 mg/m ³ NaN ₃ (Vacated) Ceiling: 0.1 ppm HN ₃
ACGIH TLV	ACGIH TLV	Ceiling: 0.29 mg/ m ³ NaN ₃ Ceiling: 0.11 ppm Hydrazoic acid vapor

Exposure controls

Appropriate engineering controls

General ventilation systems should be sufficient to control worker exposure to airborne contaminants; showers and eyewash stations

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment

Protective goggles, gloves



Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Eye protection

Tightly fitting safety goggles complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a

full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Conditions to avoid	No specific data
Incompatible materials	No specific data
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Other information	When using, do not eat, drink, or smoke. May contain material of animal origin.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Yellow
Odor	: Not available
Odor threshold	: Not available
pH	: ≈7.4
Melting point	: Not available
Boiling point	: Not available
Flash Point	: Not available
Burning time	: Not applicable
Burning rate	: Not applicable
Evaporation rate	: Not available
Flammability (solid, gas)	: Not available
Lower and upper explosive (flammable) limits	: Not available
Vapor pressure	: Not available
Vapor density	: Not available
Relative density	: Not available
Solubility	: Soluble in the following materials: cold water and hot water.
Partition coefficient n-octanol/water	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
SADT	: Not available
Viscosity	: Not available
Other information	No additional information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Chemical Stability	The product is stable under recommended storage conditions.
Possibility Of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions To Avoid	No specific data.
Incompatible Materials	Acids, metals. (Note: Over a period of time, sodium azide may react with copper, lead, brass, or solder in plumbing systems to form an accumulation of HIGHLY EXPLOSIVE compounds of lead azide and copper azide.)
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose
Sodium Azide	LD50 Oral	Mouse	27 mg/kg
	LD50 Oral	Rat	27 mg/kg
	LD50 Dermal	Rabbit	20 mg/kg

Conclusion/Summary: To the best of our knowledge, the toxicological properties of this product have not been thoroughly investigated.

- Skin corrosion/irritation:** No data available
- Serious eye damage/irritation:** No data available
- Respiratory or skin sensitization:** No data available
- Germ cell mutagenicity:** No data available
- Carcinogenicity:** No data available. This mixture is not listed by NTP, IARC, ACGIH or OSHA as a carcinogen.
- Reproductive toxicity:** No data available
- Developmental toxicity:** No data available
- Specific target organ toxicity (single exposure):** No data available
- Specific target organ toxicity (repeated exposure):** No data available
- Aspiration hazard:** No data available
- Other Information:** No data available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Product / ingredient name	Result	Species	Exposure
Sodium Azide	Acute EC50 0.348 mg/L Fresh water	Algae – Pseudokirchneriella subcapitata	96 hours
	Acute EC50 4.2 to 6.2 mg/L Fresh water	Daphnia - Daphnia pulex - Larvae	48 hours
	Acute LC50 9000 ug/L Fresh water	Crustaceans - Gammarus lacustris	48 hours
	Acute LC50 0.68 mg/L Fresh water	Fish - Lepomis macrochirus	96 hours

- Persistence and degradability:** No data available
- Bioaccumulative potential:** No data available
- Mobility in soil:** No data available
- Soil/water partition coefficient (KOC):** No data available
- Other adverse effects:** No data available
- Note:** Although present at low concentrations, disposal should consider that sodium azide is present. Releases to the environment should be avoided. Very toxic to aquatic life

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	DOT Classification	IATA
UN number	Not regulated	Not regulated
UN proper	Not regulated	Not regulated
Transport hazard class(es)	Not regulated	Not regulated
Packing group	Not regulated	Not regulated

Environmental Hazards: Based on the data available, the mixture is not regulated as an environmental hazard or a marine pollutant

Special precautions for user: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15: REGULATORY INFORMATION

US Federal and State Regulations

- SARA section 313** Not listed
- SARA section 311/312 Classification** Acute Health Hazard
- TSCA status** Not listed
- WHMIS classification** Not listed
- California Proposition 65** Not listed
- Chemical Safety Assessment** Not listed

SARA 302/304

Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Sodium Azide	< 0.1	Yes	500	-	1000	-

SARA 304 RQ 1000000 lbs / 454000 kg

State regulations

- New Jersey
 - Sodium Azide 26628-22-8
 - Sodium Phosphate 7558-79-4
- Massachusetts
 - Sodium Azide 26628-22-8
 - Sodium Phosphate 7558-79-4
- Pennsylvania
 - Sodium Azide 26628-22-8
 - Sodium Phosphate 7558-79-4
- Minnesota
 - Sodium Azide 26628-22-8
- Rhode Island
 - Sodium Azide 26628-22-8

Canada inventory All components are listed or exempted.

International regulations

International lists

- Australia inventory (AICS): All components are listed or exempted.
- China inventory (IECSC): All components are listed or exempted.
- Japan inventory: All components are listed or exempted.
- Korea inventory: All components are listed or exempted.
- Malaysia Inventory (EHS Register): All components are listed or exempted.
- New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
- Philippines inventory (PICCS): All components are listed or exempted.
- Taiwan inventory (CSNN): All components are listed or exempted.

SECTION 16: OTHER INFORMATION

Indication of changes : 15-Dec-21
Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

H300	Fatal if swallowed
H310	Fatal in contact with skin
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

NFPA health hazard : 1 - May be irritating
NFPA fire hazard : 0 - Not combustible
NFPA reactivity : 0 - Not reactive when mixed with water



HMIS III Rating

Health : 1 - Slight Hazard - Irritation or minor reversible injury possible
Flammability : 0 - Minimal Hazard
Physical : 0 - Minimal Hazard

Disclaimer: While SouthernBiotech (d.b.a. Southern Biotechnology Associates, Inc.) believes the information contained herein is valid and accurate, SouthernBiotech makes no warranty or representation as to its validity, accuracy, or currency. SouthernBiotech shall not be liable or otherwise responsible in any way for use of either this information or materials to which it applies. Disposal of Hazardous materials may be subject to local laws or regulations.

SDS US (GHS HazCom) - US Only