

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Catalog Number: STA-384

Product Name: Total Cholesterol Assay Kit (Colorimetric)

Recommended Use: Laboratory Research Reagents

MANUFACTURER: EMERGENCY CONTACT:

Cell Biolabs, Inc. +1 858 271 6500 7758 Arjons Drive info@cellbiolabs.com

San Diego, CA 92126

SECTION 2. HAZARDS IDENTIFICATION

Cholesterol Standard (Part No. 239001): One 50 µL vial of a 10 mM cholesterol solution in ethanol

Classification:

Flammable liquids, Category 2 (H225) Eye irritation, Category 2A (H319)



Hazard Statements: Highly flammable liquid and vapour (H225), Causes serious eye irritation (H319)

Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Keep container tightly closed (P233), Ground/bond container adn receiving equipment (P240), Use explosion-proof electrical/ventilating/lighting/equipment (P241), Use only non-sparking tools (P242), Take precautionary measures against static discharge (P243), Wash skin thoroughly after handling (P264), Wear protective gloves/protective clothing/eye protection/face protection (P280), If on skin or hair: Take off immediately all contaminated clothing (P303 + P361 + P353), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), If eye irritation persists: get medical attention (P337 + P313), In case of fire: use dry sand, dry chemnical or alcohol-resistant foam for extinction (P370 + P378),




Store in a well-ventilated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).

50X Colorimetric Probe (Part No. 238401): One 200 μL tube in DMSO

Classification:

Flammable liquids, Category 4 (H227) Acute toxicity, Oral, Category 4 (H302)



Hazard Statements: Combustible liquid (H227), Harmful if swallowed (H302).

Precautionary Statements: Keep away from heat/sparks/open flames/hot surfaces. No smoking (P210), Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), In case of fire: use dry sand, dry chemnical or alcohol-resistant foam for extinction (P370 + P378), Store in a well-ventialated place and keep cool (P403 + P235), Dispose of contents/container to an approved waste disposal plant (P501).

<u>Cholesterol Esterase</u> (Part No. 239003): One $20~\mu L$ vial <u>Cholesterol Oxidase</u> (Part No. 239004): One $200~\mu L$ vial

Classification:

Acute toxicity, Oral, Category 4 (H302) Eye irritation, Category 2A (H319) Acute aquatic toxicity, Category 2 (H401) Chronic aquatic toxicity, Category 2 (H411)







Signal Word Warning

Hazard Statements: Harmful if swallowed (H302), Causes serious eye irritation (H319), Toxic to aquatic life with long lasting effects (H411).

Precautionary Statements: Wash skin thoroughly after handling (P264), Do not eat, drink, or smoke when using this product (P270), Avoid release to the environment (P273), Wear protective gloves/protective clothing/eye protection/face protection (P280), IF SWALLOWED: call a POISON CENTER if you feel unwell. Rinse mouth (P301 + P312 + P330), IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305 + P351 + P338), If eye irritation persists: get medical advice/attention (P337 + P313), Collect spillage (P391), Dispose of contents/container to an approved waste disposal plant (P501).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Cholesterol Standard</u> (Part No. 239001): One 50 µL vial of a 10 mM cholesterol solution in ethanol

| CHEMICAL NAME | CONCENTRATION | CAS# |
|---------------|---------------|---------|
| Ethanol | 10 mM | 64-17-5 |

50X Colorimetric Probe (Part No. 238401): One 200 μL tube in DMSO

| CHEMICAL NAME | CONCENTRATION | CAS# |
|------------------------|---------------|---------|
| Dimethyl Sulfoxide | 100% | 67-68-5 |
| Proprietary Compound A | 10-15 mM | |

<u>Cholesterol Esterase</u> (Part No. 239003): One 20 μL vial <u>Cholesterol Oxidase</u> (Part No. 239004): One 200 μL vial

| CHEMICAL NAME | CONCENTRATION | CAS# |
|---------------|---------------|-----------|
| Triton X-100 | 0.1% | 9002-93-1 |



SECTION 4. FIRST-AID MEASURES

- IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
- IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.
- IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media: Water spray, alcohol-resistant foam, dry chemical or CO2
- Special protective equipment: Self-contained breathing apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Evacuate area
- Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves.
- Absorb with sand or vermiculite, sweep up, place in a bag and hold for waste disposal.
- Avoid raising dust.
- Ventilate area and wash spill site after material pickup is complete.

SECTION 7. SAFETY HANDLING AND STORAGE

- Should be handled by trained personnel observing good laboratory practices.
- Avoid breathing vapor.
- Avoid skin contact or swallowing.
- May cause allergic reaction in sensitized individuals.
- Store in properly labeled containers at temperature on label

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Engineering measures: Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product.
- Personal protective equipment: Face shield or safety glasses, gloves, protective clothing, suitable respiratory equipment in cases of inadequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form: liquid
- Odor: no data available
- pH: no data available
- Boiling point / range: no data available
- Melting point / range: no data available
- Flash point: no data available



- Evaporation rate: no data available
- Vapor pressure: no data available
- Vapor density: no data available
- Relative density: no data available
- Water solubility: no data available
- Autoignition temperature: no data available
- Decomposition temperature: no data available
- Viscosity: no data available
- Explosive properties: no data available
- Oxidizing properties: no data available

SECTION 10. STABILITY AND REACTIVITY

- Stability: no data available
- Reactivity: no data available
- Conditions to avoid: no data available
- Incompatible materials: no data available
- Decomposition products: no data available

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute toxicity
 - o Ethanol: LD50 Oral 7.060 mg/kg (rat), LC50 Inhalation 20000 ppm 10h (rat)
 - o Triton X-100: LD50 oral 1.800 mg/kg (rat), LD50 dermal 8.000 mg/kg (rabbit)
 - o Proprietary Compound A: no data available
 - o Dimethyl Sulfoxide:
 - LD50 Oral rat 14.500 mg/kg
 - LC50 Inhalation rat 4 h 40250 ppm
 - LD50 Dermal rabbit > 5.000 mg/kg
- Skin corrosion/irritation
 - o Ethanol: Irritating to skin 24h (rabbit)
 - o Triton X-100: no data available
 - o All other hazardous components: no data available
- Serious eye damage/irritation
 - o Ethanol: Mild eye irritation 24h Draize test (rabbit)
 - o Triton X-100: Moderate eye irritation-24 h (rabbit)
 - O All other hazardous components: no data available
- Respiratory or skin sensitization: no data available
 - o Ethanol: no data available
 - o Triton X-100: no data available
 - o All other hazardous components: no data available
- Germ cell mutagenicity: no data available
- Carcinogenicity: no data available
- Reproductive toxicity: no data available



SECTION 12. ECOLOGICAL INFORMATION

- Ecotoxicity
 - o Ethanol: no data available
 - Triton X-100: Toxicity to Daphnia and other aquatic invertebrates- EC50 26 mg/L-48h (Daphnia)
 - o Dimethyl Sulfoxide:
 - Toxicity to fish: LC50 Pimephales promelas (fathead minnow) 34.000 mg/l 96 h, LC50 Oncorhynchus mykiss (rainbow trout) 35.000 mg/l 96 h
 - Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia pulex (Water flea) - 27.500 mg/l
 - Toxicity to algae: EC50 Lepomis macrochirus (Bluegill)- > 400.000 mg/l 96h
 - o Proprietary Compound A: no data available
- Mobility: no data available
- Biodegradation
 - o EDTA: no data available
 - o Triton X-100: not readily biodegradable
 - o All other hazardous components: no data available
- Bioaccumulation:
 - o EDTA: Lepomis macrochirus 80µg/L 28d, bioconcentration factor (BCF): 1,8.
 - o Triton X-100: no data available
 - o All other hazardous components: no data available

SECTION 13. DISPOSAL CONSIDERATIONS

For small quantities: Cautiously add to a large stirred excess of water. Adjust the pH to neutral. Flush the aqueous solutions down the drain with plenty of water.

SECTION 14. TRANSPORT INFORMATION - IATA

• Hazard Class: Not Hazardous

SECTION 15. REGULATORY INFORMATION

- Safety, health and environmental regulations/legislation specific for the substance or mixture: no data available
- Chemical safety assessment: no data available

SECTION 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and should be used only as a guide for experienced personnel. Cell Biolabs, Inc. shall not be held liable for any damage resulting from the handling or from contact with the above product(s).

Revised 06/27/2018